Summary of CTEH's Air Monitoring Activities for the Community In Response to the MC 252 Oil Spill

Daily Summary for May 19, 2010

Air monitoring was conducted between New Iberia, LA and Apalachee Bay, FL to address public concern for crude oil vapors. The results of air monitoring for May 19, 2010 18:00 – May 20, 18:00 are shown in Table 1 and 2 below and the locations where monitoring was conducted are shown in the map below (Figure 1).

Table 1 Summary of Air Monitoring In Residential and Commercial Areas Along the Gulf Coast

Crude Oil Chemicals of Interest	Number of Measurements	Average Concentration (ppm)	Maximum Concentration (ppm)
Volatile Organic Chemicals including benzene (VOCs)	547	0	0
Hydrogen sulfide	535	0	0
Sulfur dioxide	417	0	0
Benzene*	68 al 1567	0	0

^{*}Benzene measured with detector tubes

Table 2

Particulates	Number of Measurements	Average Concentration (mg/m³)	Maximum Concentration (mg/m ³)
Particulate Matter (PM10)*	48	0.068	0.128
Particulate Matter (PM2.5)*	493	0.031	0.5
Total	633		

^{*}PM10 – is particulate matter less than 10 microns

Air monitoring results show that crude oil vapors were not detected throughout residential and commercial areas between New Iberia, LA and Apalachee Bay, FL. Particulate levels show that concentrations were in range with baseline readings and were below levels of concern. Testing teams trained in odors also noted the presence or absence of crude oil vapors

^{*}PM2.5 – is particulate matter less than 2.5 microns

(Figure 2). Oil odors were detected at six locations near Dauphine Island and Gulf Shores, AL.

Figure 1 Map Showing Where Air Monitoring is Being Conducted Throughout the Gulf Coast States



Note – green dot shows the locations of air monitoring



Crude Oil Odor

Cotten

Figure 2 – Odor Investigation Results

Note – blue dot means no odor detected, orange dot indicates that crude oil odors were detected.

No Odor



2010/05/20 18:00